

UHF SERIES



UHF SERIES

SMA CONNECTORS

UHF series are economical and all purpose connectors, they are designed with a non-constant impedance for use at comparatively low voltage & low frequency applications including: C.B. communication systems, Public address systems, CCTV, civil defense, landing systems, ground control apparatus, ship to shore communications and Mobile radio equipment hookups between antenna and transmitter or receiver.



Specifications

Electrical

Frequency Range		0-300MHz
Working Voltage		500 VRMS max.
Dielectric Withstanding Voltag		750VRMS min
Contact Resistance	Center contact	15 Milliohms Max.
	Outer contact	5 Milliohms Max
Insulator Resistance		5000 Megohms min

Material



Parts Name	MATERIAL	Finish
Body, metal Parts	Brass	Nickel or Gold plated
Center Contacts	Plug:Brass	Nickel, Gold or Silver per requirement
	Jack:Beryllium copper,	Nickel,Gold or Silver per requirement
	Phosphor Bronze or Brass	
Insulators	POM and PBT	None
Crimp ferrules	Annealed copper	Nickel or Gold Per requiremen
Clamp Gaskets	Silicone rubber, Synthetic rubber	None



EU-3801

UHF JACK CRIMP FOR CABLE



- RG 58/U
- RG 59/U
- RG 6/U



EU-3802

UHF REDUCER



- RG 58/U
- RG 59/U



EU-1901

UHF MALETWIST ON FOR CABLE



- RG 58/U
- RG 59/U



EU-3901

UHF MALE CRIMP FOR CABLE



- RG 58/U
- RG 59/U
- RG 6/U



EU-3902



UHF MALE CRIMP FOR CABLE

- RG 58/U
- RG 59/U
- RG 6/U





EU-5801

UHF JACK SOLDERING WITH
SQUARE FLANGE





EU-6001

UHF JACK TO UHF JACK





EU-6002

UHF MALE TO UHF MALE





EU-6003

UHF MAF TO F FEMALE





EU-6004



UHF THREE JACK T TYPE





EMU-3801
 MINI UHF JACK STRAIGHT
 CRIMP FOR CABLE
 - RG 58/U
 - RG 59/U
 - RG 6/U





EMU-3802
 MINI UHF JACK R/A CRIMP
 FOR CABLE
 - RG 58/U
 - RG 59/U
 - RG 6/U





EMU-3901
 MINI UHF MALES STRAIGHT CRIMP
 FOR CABLE
 - RG 58/U
 - RG 59/U
 - RG 6/U



EMU-3902
 MINI UHF MALE R/A FOR CABLE
 - RG 58/U
 - RG 59/U
 - RG 6/U





EMU-5801
 MINI UHF JACK FOR SOLDERING
 WITH SQUARE FLANGE





EMU-6001

MINI UHF THREE JACK T TYPE





EMU-6002

MINI UHF TO MINI UHF JACK





EMU-6003

MINI UHF TO MINI UHF JACK R/A



EMU-6004

MINI UHF TO BNC MALE



EMU-6005

MINI UHF JACK TO TNC MALE